L Number	Hits	Search Text	DB	Time stamp
L Number	21350	switch same instructions and @ad<20000731	USPAT;	2003/09/12 11:27
-	21330	switch same instructions and sadveouvist	US-PGPUB	2003,03,12 11.27
l _	1426	(switch same instructions and @ad<20000731)	USPAT;	2003/09/10 15:03
ļ <sup>-</sup>	1420	and "count value"	US-PGPUB	2003/03/10 13:03
i _	31		USPAT;	2003/09/10 15:03
-	31	and "count value") and redirection	US-PGPUB	2003/03/10 13:03
	7	· ·	USPAT;	2003/09/11 08:14
-	,	and redirection	US-PGPUB	2003/03/11 00.14
	174	((router and (line adj card\$)) and	USPAT;	2003/09/11 09:00
-	1/4	instructions) and @ad<20000730	US-PGPUB	2003/03/11 03.00
	7	l	USPAT;	2003/09/11 09:34
-	,	@ad<20000730	US-PGPUB	2003/03/11 03.34
_	1		USPAT;	2003/09/11 09:05
-	_	and @ad<20000730	US-PGPUB	2003,03,11 03:03
_	38		USPAT;	2003/09/11 09:11
	30	@ad<20000730	US-PGPUB	2005,05,22 05.22
<u> </u>	1		USPAT;	2003/09/11 09:11
1	-	("instruction system")	US-PGPUB	2003, 03, 11 03,111
<u>-</u>	430		USPAT;	2003/09/11 09:13
	450	2256 5525 64 644.20000730	US-PGPUB	= = = = = = = = = = = = = = = = = = =
_	5	("switch core" and @ad<20000730) and	USPAT;	2003/09/11 09:17
		"instruction memory"	US-PGPUB	
-	417	"IAD" and @ad<20000730	USPAT;	2003/09/11 09:17
			US-PGPUB	
_	389	"time slot interchanger" and @ad<20000730	USPAT;	2003/09/11 09:18
			US-PGPUB	,,
_	88	("time slot interchanger" and @ad<20000730)	USPAT;	2003/09/11 09:27
		and ("instruction system" or "programming")	US-PGPUB	
_	0	"synchronous switch" and "instruction	USPAT;	2003/09/11 09:28
	_	system" and @ad<20000730	US-PGPUB	
_	129427	I = .	USPAT;	2003/09/11 09:29
			US-PGPUB	
-	136	programming and (switch adj instruction\$)	USPAT;	2003/09/11 09:48
		and @ad<20000730	US-PGPUB	
-	13	"integrated access device" and @ad<20000730	USPAT;	2003/09/11 09:48
			US-PGPUB	
_	154	("line card" same fail\$3) and @ad<20000730	USPAT;	2003/09/11 09:54
			US-PGPUB	
-	42	((line adj card\$) near5 fail\$3) and	USPAT;	2003/09/11 10:05
		@ad<20000730	US-PGPUB	
-	284	1	USPAT;	2003/09/11 10:10
		@ad<20000730	US-PGPUB	
-	2		USPAT;	2003/09/11 10:11
		@ad<20000730	US-PGPUB	
-	18	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/09/11 10:18
		@ad<20000730	US-PGPUB	
-	1	switch and (redirection adj memory) and	USPAT;	2003/09/11 10:20
	_	@ad<20000730	US-PGPUB	2002/00/22 22 22
1 -	0	IAD and (redirection adj memory) and	USPAT;	2003/09/11 10:20
1	_	@ad<20000730	US-PGPUB	2002/00/11 12 55
-	0		USPAT;	2003/09/11 10:21
	_	@ad<20000730	US-PGPUB	2002/00/22 20 22
-	0		USPAT;	2003/09/11 10:21
	_	@ad<20000730	US-PGPUB	2002/00/11 10 21
-	0	, ,	USPAT;	2003/09/11 10:21
		@ad<20000730	US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
	-	quitch and (redirection add memory) and	IBM_TDB	2003/09/11 10:24
-	1	switch and (redirection adj memory) and @ad<20000730	USPAT;	2003/03/11 10:24
		waa\2000/30	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4673	(switch and fault and recovery) and	USPAT;	2003/09/11 10:25
-	40/3	(Switch and lauft and recovery) and   @ad<20000730	US-PGPUB;	2003/03/11 10.25
		34412000730	EPO; JPO;	[
			DERWENT;	
			IBM TDB	
<u> </u>		<u></u>		



-	2169	· · ·	USPAT;	2003/09/11 10:25
		@ad<20000730) and counter	US-PGPUB; EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	1326		USPAT;	2003/09/11 10:26
		@ad<20000730) and counter) and instructions and memory	US-PGPUB; EPO; JPO;	
		and memory	DERWENT;	
			IBM_TDB	
-	250	((((switch and fault and recovery) and @ad<20000730) and counter) and instructions	USPAT; US-PGPUB;	2003/09/11 10:26
		and memory) and "MSB"	EPO; JPO;	
		•	DERWENT;	
	100	////anibab and fault and magazines) and	IBM_TDB USPAT;	2002/00/11 10:47
-	196	(((((switch and fault and recovery) and @ad<20000730) and counter) and instructions	US-PGPUB;	2003/09/11 10:47
		and memory) and "MSB") and LSB	EPO; JPO;	
			DERWENT;	
_	۱ ،	709.ccls.	IBM_TDB USPAT;	2003/09/11 10:47
	Ĭ	703.0013.	US-PGPUB;	2003/03/11 10.17
			EPO; JPO;	
			DERWENT; IBM TDB	
<b> </b>	0	709/*.ccls.	USPAT;	2003/09/11 10:48
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	(709/*).CCLS.	USPAT;	2003/09/11 10:48
	28022	("709").CLAS.	US-PGPUB USPAT;	2003/09/11 10:48
	26022	( 709 ).CLMS.	US-PGPUB	2003/03/11 10.40
_	38	(("709").CLAS.) and "IAD"	USPAT;	2003/09/11 11:01
_	48229	instructions and switch and @ad<20000730	US-PGPUB USPAT;	2003/09/11 11:03
	40223	instructions and switch and wade20000730	US-PGPUB	2003/03/11 11:03
-	5052	I '	USPAT;	2003/09/11 11:04
	124	@ad<20000730   (("instruction set" and switch) and	US-PGPUB USPAT;	2003/09/11 11:20
	124	@ad<20000730) and ("redirection memory" or	US-PGPUB	2003, 03, 11 11:20
		"re-direction memory" or redirection or		
_	490	"re-direction") router near4 memory and @ad<20000730	USPAT;	2003/09/11 11:21
	150	Toucer near memory and guarzovovis	US-PGPUB	2003/03/11 11:21
-	50	router adj memory and @ad<20000730	USPAT;	2003/09/11 11:32
_	173	   switch same (instruction adj memory) and	US-PGPUB USPAT;	2003/09/11 12:45
	1/3	@ad<20000730	US-PGPUB	2003/03/11 12.43
-	4520	programming and switch and recovery and	USPAT;	2003/09/11 12:50
_	75	@ad<20000730   (programming and switch and recovery and	US-PGPUB USPAT:	2003/09/11 12:51
	/ / /	@ad<20000730) and "instruction memory"	US-PGPUB	
-	75	(programming and switch and recovery and	USPAT;	2003/09/11 12:58
		@ad<20000730) and "instruction memory"	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	626	switch same "routing table" and @ad<20000730	USPAT; US-PGPUB;	2003/09/11 13:03
	]		EPO; JPO;	
			DERWENT;	
	1	6256293.pn.	IBM_TDB USPAT;	2003/09/12 11:27
-·		0250253.pm.	US-PGPUB	2003/03/12 11:27
-	81	(line near card) same failure and	USPAT;	2003/09/12 11:36
		@ad<20000731   ((line near card) same failure and	US-PGPUB	2003/09/12 11:28
	"	@ad<20000731) and redirection	USPAT; US-PGPUB	2003/09/12 11:28
-	24	((line near card) same failure and	USPAT;	2003/09/12 11:28
L	L	@ad<20000731) and programming	US-PGPUB	<u> </u>

_	2	recover\$3 and "line card failure" and @ad<20000731	USPAT; US-PGPUB	2003/09/12 11:41
-	559		USPAT; US-PGPUB	2003/09/12 11:51
-	6	("5570362" or "5577039" or "5734653" or "6243382" or "6404782" or "6442167").pn.	USPAT; US-PGPUB	2003/09/12 13:19
-	2	(redirection adj memory) and @ad<20000731	USPAT; US-PGPUB	2003/09/12 13:21
-	0	(re-direction adj memory) and @ad<20000731	USPAT; US-PGPUB	2003/09/12 13:21
-	45	(redirect adj memory) and @ad<20000731 NOT ((redirection adj memory) and @ad<20000731)	USPAT; US-PGPUB	2003/09/12 13:27
-	4	"customer line card\$" and @ad<20000731	USPAT; US-PGPUB	2003/09/12 13:29
-	2107	"line card\$" and @ad<20000731	USPAT; US-PGPUB	2003/09/12 13:30
-	104	("line card\$" and @ad<20000731) and (reprogram\$5 or re-program\$5)	USPAT; US-PGPUB	2003/09/12 13:32
-	0	((("line card\$" and @ad<20000731) and (reprogram\$5 or re-program\$5)) and memory)	USPAT; US-PGPUB	2003/09/12 13:33
-	99		USPAT; US-PGPUB	2003/09/12 13:44
-	440	(reprogram\$5 or re-program\$5)) and memory 370/216.ccls.	US-PGPUB USPAT; US-PGPUB	2003/09/12 13:59
-	0	370/216.ccls. and "synchronous switch"	USPAT; US-PGPUB	2003/09/12 14:00
-	358	"synchronous switch" and @ad<20000731	USPAT; US-PGPUB	2003/09/12 14:00
-	0	("synchronous switch" and @ad<20000731) and "faulty recovery"	USPAT; US-PGPUB	2003/09/12 14:00
-	98	1	USPAT; US-PGPUB	2003/09/12 14:02
-	42	(fault same ("linecard" or "line card") and @ad<20000731) and recover\$4	USPAT; US-PGPUB	2003/09/12 14:03
-	13	"re-mapping" near3 instructions and @ad<20000731	USPAT; US-PGPUB	2003/09/12 14:03
-	34		USPAT; US-PGPUB	2003/09/12 14:24
-	0	("synchronous switch" and @ad<20000731) and "routing memory"	USPAT; US-PGPUB	2003/09/12 14:26
-	95	memory	USPAT; US-PGPUB	2003/09/12 14:28
-	24	memory) and instruction\$5	USPAT; US-PGPUB	2003/09/15 08:06
-	1868	<u>-</u>	USPAT; US-PGPUB	2003/09/15 08:09
-	17	("linecard" or (line near1 card))	USPAT; US-PGPUB	2003/09/15 08:20
-	3	"routing parameter set" and @ad<20000731	USPAT; US-PGPUB	2003/09/15 08:24
-	8	reprogramming same (rout\$4 adj table) and @ad<20000731	USPAT; US-PGPUB	2003/09/15 08:25
-	137	(switch adj recover\$4) and @ad<20000731	USPAT; US-PGPUB	2003/09/15 08:32
-	0	((switch adj recover\$4) and @ad<20000731) and ("line card" or "linecard")	USPAT; US-PGPUB	2003/09/15 08:32
-	55	and memory	USPAT; US-PGPUB	2003/09/15 08:40
-	11264	@ad<20000731	USPAT; US-PGPUB	2003/09/15 08:40
_	10268	@ad<20000731	USPAT; US-PGPUB	2003/09/15 08:40
-	1111	@ad<20000731	USPAT; US-PGPUB	2003/09/15 08:40
_	27	(switch same (memory near5 map\$4) and @ad<20000731) and ("linecard" or "line card")	USPAT; US-PGPUB	2003/09/15 08:41
-	18	1	USPAT; US-PGPUB	2003/09/15 10:09
-	2724		USPAT; US-PGPUB	2003/09/15 09:44
	<del>-</del>			

-	1229	((rout\$4 adj table) and @ad<20000731) and instruction\$	USPAT; US-PGPUB	2003/09/15 09:44
-	1022	(((rout\$4 adj table) and @ad<20000731) and instruction\$) and memory	USPAT; US-PGPUB	2003/09/15 09:44
-	27	((((rout\$4 adj table) and @ad<20000731) and instruction\$) and memory) and ("line card"	USPAT; US-PGPUB	2003/09/15 09:47
-	742	or "linecard") instruction\$2 and ("line card\$" or "linecard\$") and @ad<20000731	USPAT; US-PGPUB	2003/09/15 09:48
-	385	(instruction\$2 and ("line card\$" or "linecard\$") and @ad<20000731) and routing	USPAT; US-PGPUB	2003/09/15 09:48
-	325	((instruction\$2 and ("line card\$" or "linecard\$") and @ad<20000731) and routing) and table	USPAT; US-PGPUB	2003/09/15 09:48
-	209	(((instruction\$2 and ("line card\$" or "linecard\$") and @ad<20000731) and routing) and table) and failure	USPAT; US-PGPUB	2003/09/15 09:57
-	0	reprogrammable near5 (rout\$4 adj table) and @ad<20000731	USPAT; US-PGPUB	2003/09/15 09:57
-	0	re-programmable near5 (rout\$4 adj table) and @ad<20000731	USPAT; US-PGPUB	2003/09/15 09:57
-	2	(redirection adj memory) and @ad<20000731	USPAT; US-PGPUB	2003/09/15 10:07
-	123	@ad<20000731	USPAT; US-PGPUB	2003/09/15 10:09
-	1	((program\$4 near5 (rout\$4 adj table) and @ad<20000731) and instruction\$2) and ("line card\$" or "linecard\$")	USPAT; US-PGPUB	2003/09/15 10:10
-	75		USPAT; US-PGPUB	2003/09/15 10:17
	0	("line card\$" or "linecard\$") and "routing parameter\$" and @ad<20000731	USPAT; US-PGPUB	2003/09/15 10:22
-	356	("line card\$" or "linecard\$") and "parameter\$" and @ad<20000731	USPAT; US-PGPUB	2003/09/15 10:19
-	296	(("line card\$" or "linecard\$") and "parameter\$" and @ad<20000731) and rout\$4	USPAT; US-PGPUB	2003/09/15 10:20
-	0	("line card\$" or "linecard\$") same "instruction\$2" and @ad<20000731	USPAT; US-PGPUB	2003/09/15 10:24
-	743	(line adj card) and fail\$4 and @ad<20000731	USPAT; US-PGPUB	2003/09/15 10:25
-	284	((line adj card) and fail\$4 and @ad<20000731) and (memory and instruction\$1) (line adj card) WITH fail\$4 and @ad<20000731	USPAT; US-PGPUB USPAT;	2003/09/15 10:25 2003/09/15 10:33
_	38783	(controller or processor) WITH (updat\$3 or	US-PGPUB USPAT;	2003/09/15 10:33
		modif\$4 or program\$2) same ((rout\$3 adj table) or memory) and @ad<20000731	US-PGPUB	
-	29967	(controller or processor) WITH (updat\$3 or modif\$4 or program\$2) WITH ((rout\$3 adj table) or memory) and @ad<20000731	USPAT; US-PGPUB	2003/09/15 10:35
-	29967	((controller or processor) WITH (updat\$3 or modif\$4 or program\$2) WITH ((rout\$3 adj	USPAT; US-PGPUB	2003/09/15 10:35
-	87	modif\$4 or program\$2) WITH ((rout\$3 adj	USPAT; US-PGPUB	2003/09/15 10:38
-	49	modif\$4 or program\$2) WITH (rout\$3 adj	USPAT; US-PGPUB	2003/09/15 10:42
-	574	table) and instruction\$2) and @ad<20000731 ((controller or processor) WITH (updat\$3 or modif\$4 or program\$2) WITH (instruction\$2 adj memory)) and @ad<20000731	USPAT; US-PGPUB; EPO; JPO;	2003/09/15 10:46
-	266		DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:47

Page 4

-	13	<pre>((((controller or processor) WITH (updat\$3 or modif\$4 or program\$2) WITH (instruction\$2</pre>	USPAT; US-PGPUB;	2003/09/15 10:53
		adj memory)) and @ad<20000731) and switch)	EPO; JPO;	
		and telecommunication\$2	DERWENT;	
		· ·	IBM TDB	
-	80	"line card" same recover\$2	USPAT;	2003/09/15 10:57
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
		(13'3"	IBM_TDB	2002/00/15 10 52
_	42	("line card" same recover\$2) and @ad<20000731	USPAT; US-PGPUB;	2003/09/15 10:53
		Wad<20000/31	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
-	91	("line card" WITH fail\$3) and @ad<20000731	USPAT;	2003/09/15 11:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(/#3/	IBM_TDB	2002/00/25 22 22
-	13	' '	USPAT; US-PGPUB;	2003/09/15 11:09
		and (reprogram\$4 or remap\$5)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	О	("line card" with "instruction\$2 memory")	USPAT;	2003/09/15 11:20
		and @ad<20000731	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(0.2)	IBM_TDB	2002/00/15 11 20
-	0	1 ·	USPAT;	2003/09/15 11:20
		and @ad<20000731	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	("line card" and "instruction\$2 memory") and	USPAT;	2003/09/15 11:20
		@ad<20000731	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/:	IBM_TDB	2003/09/15 11:24
-	0	(instructions with "line card\$1") and @ad<20000731	USPAT; US-PGPUB	2003/03/15 11:24
_	0	1	USPAT;	2003/09/15 11:24
		@ad<20000731	US-PGPUB	
-	0	(table with "line card\$1") and @ad<20000731	USPAT;	2003/09/15 11:24
			US-PGPUB	
-	0	(table same "line card\$1") and @ad<20000731	USPAT;	2003/09/15 11:24
			US-PGPUB	0000/00/00
-	0	(table and "line card\$1") and @ad<20000731	USPAT;	2003/09/15 11:24
	705	/table and   line card  ) and end-20000721	US-PGPUB	2003/09/15 11:24
_	785	(table and "line card") and @ad<20000731	USPAT; US-PGPUB	2003/03/15 11:24
_	20	(instructions with "line card") and	USPAT;	2003/09/15 11:30
	20	@ad<20000731	US-PGPUB	
-	280	370/217.ccls.	USPAT;	2003/09/15 11:59
			US-PGPUB	
-	241	370/217.ccls. and @ad<20000731	USPAT;	2003/09/15 13:09
			US-PGPUB	0000/00/00
-	138	370/218.ccls. and @ad<20000731	USPAT;	2003/09/15 13:08
		270/210 colo and cod 200000721	US-PGPUB	2002/00/15 12:00
-	67	370/219.ccls. and @ad<20000731	USPAT;	2003/09/15 13:08
_	9	(370/217.ccls. and @ad<20000731) and	US-PGPUB USPAT;	2003/09/15 13:09
_		("linecard" or "line card")	US-PGPUB	2003/03/13 13.09
_	9	("5144622"   "5416771"   "5479401"	USPAT	2003/09/15 13:28
		"5689512"   "5694463"   "5781529"		
		"5872783"   "6101188"   "6151297").PN.		
			<u> </u>	

-	18	("4274138"   "4338663"   "4839797"	USPAT	2003/09/15 13:29
		"4876639"   "5193158"   "5327566"   "5392408"   "5404472"   "5420992"		
		"5392408"		
		"5524211"   "5568646"   "5574928"		
		"5598546"   "5638525"   "5758115").PN.		
-	-	("4884263"   "5590118"   "5764624").PN.	USPAT	2003/09/15 13:31
-	0	("line card" or "linecard") WITH "fault recovery" and @ad<20000731	USPAT; US-PGPUB	2003/09/15 13:34
_	2	recovery" and @ad<20000731 ("line card" or "linecard") same "fault	USPAT;	2003/09/15 13:52
	[	recovery" and @ad<20000731	US-PGPUB	2003,03,13 13.32
-	7	reprogram\$4 same (rout\$2 adj table) and	USPAT;	2003/09/15 13:53
		@ad<20000731	US-PGPUB	
-	21	reprogram\$4 and switch and (rout\$2 adj	USPAT; US-PGPUB	2003/09/15 13:54
_	1	table) and @ad<20000731 370/216.ccls. and "instruction register" and	USPAT;	2003/09/15 13:55
1	1	@ad<20000731	US-PGPUB	2003,03,13 13:33
-	0	370/217.ccls. and "instruction register" and	USPAT;	2003/09/15 13:55
		@ad<20000731	US-PGPUB	
-	0	370/218.ccls. and "instruction register" and	USPAT;	2003/09/15 13:55
	0	@ad<20000731  370/219.ccls. and "instruction register" and	US-PGPUB USPAT;	2003/09/15 13:55
-		@ad<20000731	US-PGPUB	2003/03/13 13:33
-	5900		USPAT;	2003/09/16 10:05
•		@ad<20000731	US-PGPUB	,
-	817		USPAT;	2003/09/16 10:06
	_	@ad<20000731) and "instruction set"	US-PGPUB	2003/09/16 10:06
_	0	((((switch or router) near5 instruction\$2 and @ad<20000731) and "instruction set") and	USPAT; US-PGPUB	2003/09/10 10:06
		"instruction memory") and "routing	CO FOFOB	
		parameters"		
-	234	(((switch or router) near5 instruction\$2 and	USPAT;	2003/09/16 10:24
		@ad<20000731) and "instruction set") and	US-PGPUB	
		<pre>"instruction memory"  (((switch or router) near5 instruction\$2 and</pre>	USPAT;	2003/09/16 10:07
_		@ad<20000731) and "instruction set") and	US-PGPUB	2003/03/10 10:0/
		("linecard" or "line card")		
-	6402		USPAT;	2003/09/16 10:27
			US-PGPUB	0003/00/35 30 55
-	497	((rout\$5 near3 table) and @ad<20000731) and (instruction adi set)	USPAT; US-PGPUB	2003/09/16 10:25
_	0	(((((rout\$5 near3 table) and @ad<20000731)	USPAT;	2003/09/16 10:25
		and (instruction adj set)) and (instruction	US-PGPUB	
		adj memory)) and (rout\$4 adj parameter\$)		
- ·	0		USPAT;	2003/09/16 10:26
		(((((rout\$5 near3 table) and @ad<20000731) and (instruction adj set)) and (instruction	US-PGPUB	
		and (instruction adj set)) and (instruction adj memory)) and (rout\$4 adj parameter\$))		
_	65	(((rout\$5 near3 table) and @ad<20000731) and	USPAT;	2003/09/16 10:26
		(instruction adj set)) and (instruction adj	US-PGPUB	
		memory)		0000/00/15 15 05
-	2733	(rout\$5 adj table) and @ad<20000731	USPAT; US-PGPUB	2003/09/16 10:35
_	15	(((rout\$5 adj table) and @ad<20000731) and	US-PGPUB USPAT;	2003/09/16 10:27
	13	(((rout\$5 near3 table) and @ad<20000731) and	US-PGPUB	-003,03,10 10.27
		(instruction adj set))) and ((((rout\$5 near3		
		table) and @ad<20000731) and (instruction		
		adj set)) and (instruction adj memory))	HODAG	2002/00/26 10 20
-	139	((rout\$5 adj table) and @ad<20000731) and (((rout\$5 near3 table) and @ad<20000731) and	USPAT; US-PGPUB	2003/09/16 10:30
		(((rout\$5 hears table) and wad<20000731) and (instruction adj set))	35 76708	
-	2073	(routing adj table) and @ad<20000731	USPAT;	2003/09/16 10:39
			US-PGPUB	
-	3		USPAT;	2003/09/16 10:36
		(((rout\$5 near3 table) and @ad<20000731) and (instruction adj set))) and (((rout\$5 near3	US-PGPUB	
		table) and @ad<20000731) and (instruction		
		adj set)) and (instruction adj memory))		
-	74	((routing adj table) and @ad<20000731) and	USPAT;	2003/09/16 10:36
		(((rout\$5 near3 table) and @ad<20000731) and	US-PGPUB	
		(instruction adj set))	l	L

		-		
-	19	((instruction adj table) and @ad<20000731) and (((rout\$5 near3 table) and @ad<20000731)	USPAT; US-PGPUB	2003/09/16 10:40
		and (instruction adj set))		
-	11	and ((((rout\$5 near3 table) and	USPAT; US-PGPUB	2003/09/16 10:40
		<pre>@ad&lt;20000731) and (instruction adj set)) and (instruction adj memory))</pre>		
-	30		USPAT; US-PGPUB	2003/09/16 10:47
-	492		USPAT; US-PGPUB	2003/09/16 11:00
-	78	("linecard" or "line card") same instruction\$ and @ad<20000731	USPAT; US-PGPUB	2003/09/16 11:01
-	306	synchronous adj (switch) and @ad<20000731	USPAT; US-PGPUB	2003/09/16 13:25
-	306	synchronous adj switch and @ad<20000731	USPAT; US-PGPUB	2003/09/16 13:26
-	0	(5848067,5943,339).pn.	USPAT; US-PGPUB	2003/09/16 13:27
-	2	("5848067" or 5943,339).pn.	USPAT; US-PGPUB	2003/09/16 13:27
-	1675	synchronous NEAR3 switch and @ad<20000731	USPAT; US-PGPUB	2004/03/08 09:00
-	23	(synchronous NEAR3 switch and @ad<20000731) and ("TSI")	USPAT; US-PGPUB	2004/03/08 09:01
-	1099		USPAT; US-PGPUB	2004/03/08 09:03
-	0	((709/238.ccls. or 709/239.ccls.) and @ad<20000731) and (reprogrammable NEAR8	USPAT; US-PGPUB	2004/03/08 09:11
-	0	(rout\$3 NEAR3 table)) ((709/238.ccls. or 709/239.ccls.) and @ad<20000731) and (reprogram\$5 NEAR8 (rout\$3 NEAR3 table))	USPAT; US-PGPUB	2004/03/08 09:12
-	0	((709/238.ccls. or 709/239.ccls.) and @ad<20000731) and (reprogram\$5 SAME (rout\$3	USPAT; US-PGPUB	2004/03/08 09:12
-	13	NEAR3 table)) ((709/238.ccls. or 709/239.ccls.) and @ad<20000731) and (reprogram\$5 AND (rout\$3 NEAR3 table))	USPAT; US-PGPUB	2004/03/08 09:21
-	7		USPAT; US-PGPUB;	2004/03/08 09:35
-	484	(370/217.ccls. or 370/218.ccls. or 370/219.ccls.) and @ad<20000731	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/08 09:35
-	33	((370/217.ccls. or 370/218.ccls. or 370/219.ccls.) and @ad<20000731) and @pd>20030915	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/08 10:17
-	2	(((370/217.ccls. or 370/218.ccls. or 370/219.ccls.) and @ad<20000731) and @pd>20030915) and (line NEAR3 card\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/08 10:18
-	1	5721819.PN. and reprogram\$5	IBM_TDB USPAT;	2004/03/08 11:54
-	28	fault NEAR12 (line adj card\$1) and	US-PGPUB USPAT;	2004/03/08 11:52
-	1	1	US-PGPUB USPAT;	2004/03/08 11:54
L	I	@ad<20000731) and reprogram\$5	US-PGPUB	l <u> </u>